

www.newshinelighting.com

NEW SHINE



ACOUSTIC SERIES

Basic information / Advantage / Contact



www.newshinelighting.com

NEW SHINE

Acoustic Specification


Item: PET Acoustic

Thickness: 9mm/ 0.35”, 12mm /0.47”

Ingredient: 100% polyester fibre



NEW SHINE



Acoustic Features

The raw material of PET acoustical panel is made of 100% polyester fiber. It is formed by high temperature and high pressure. Its characters are sound absorption, non-toxic, non- Irritant, odor-free, etc.


Acoustic Test Results

NO.	Tests Requested	Results
1	Noise Reduction Coefficient	NRC=0.3
2	ASTM E84-17	Class A

NEW SHINE

Acoustic Standard Colors

There are 36 colors for selection for most of items, a very few items due to special material or manufacturing processes involved, only have limited colors. Please consult our sales for details.



NEW SHINE

Acoustic Wood Texture

There are more acoustic wood texture for selection to meet the needs of customers.


NSAC-045 0005


NSAC-046 0008


NSAC-047 0016


NSAC-048 1249


NSAC-053 9069


NSAC-049 0068


NSAC-050 1237


NSAC-051 1250


NSAC-052 1255


NSAC-054 9033

NEW SHINE







www.newshinelighting.com



Related Products

We offer a wide range of acoustic related products, including lighting fixture in acoustic and acoustic-only products.

NEW SHINE

Acoustic Lighting



Special Features:

1. Highly effective noise absorption, creating a comfortable and productive environment, increasing productivity.

2. With best-in-class illumination, sound absorption and aesthetic appeal, meeting the needs of many different types of architectural environments.


3. Greatly combine the elements of color, shape and sound, creating spaces that are as functional and conducive to great experiences.

4. Our client tested 10 acoustic lighting fixtures they bought from us in their specific space. We got the feedback the acoustic fixtures lowered the echo by 40% which was huge.

NEW SHINE

I.Cloud Acoustic Lighting

1. Ultra slim design, only 0.71" body. Silicone lens provides uninterrupted 300 degree illumination with good performance.
2. With great acoustic performance, has sound-absorbing, covering round and rectangle shapes.

Model No.	Picture	Power	Installation	Size (mm)	Size (inch)
LL0213ASAC-32W		32W	Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	D300*28	D11.8*1.1
LL0213ASAC-45W		45W		D400*28	D15.7*1.1
LL0213ASAC-60W		60W		D600*28	D23.6*1.1
LL0213ASAC-100W		100W		D900*28	D35.4*1.1
LL0213ASAC-135W		135W		D1200*28	D47.2*1.1
LL0213AMAC-32W		32W	Surface Mounted	D300*55	D11.8*2.16
LL0213AMAC-45W		45W		D400*55	D15.7*2.16
LL0213AMAC-60W		60W		D600*55	D23.6*2.16
LL0213AMAC-100W		100W		D900*55	D35.4*2.16
LL0213AMAC-135W		135W		D1200*55	D47.2*2.16
LL0214ASAC-40W		40W	Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	300*300*28	11.8*11.8*1.1
LL0214ASAC-50W		50W		400*400*28	15.7*15.7*1.1
LL0214ASAC-72W		72W		500*500*28	19.7*19.7*1.1
LL0214ASAC-100W		100W		500*900*28	19.7*35.4*1.1
LL0214ASAC-150W		150W		1100*650*28	43.3*25.6*1.1
LL0214AMAC-40W		40W	Surface Mounted	300*300*55	11.8*11.8*2.16
LL0214AMAC-50W		50W		400*400*55	15.7*15.7*2.16
LL0214AMAC-72W		72W		500*500*55	19.7*19.7*2.16
LL0214AMAC-100W		100W		500*900*55	19.7*35.4*2.16
LL0214AMAC-150W		150W		1100*650*55	43.3*25.6*2.16





www.newshinelighting.com


NEW SHINE
www.newshinelighting.com

NEW SHINE

II.Ring Acoustic Lighting


1.Bright ring design, available in multiple sizes. Very nice craftsmanship with seamless aluminum frame.
2.Direct, direct/indirect, inner, outer emitting, wood texture and acoustic version are available.

Model No.	Picture	Power	Size (mm)	Size (inch)
LL0113SAC-40W		40W	D600*32*38	D23.6*1.3*1.5
LL0113SAC-50W		50W	D900*32*38	D35.4*1.3*1.5
LL0113SAC-80W		80W	D1200*32*38	D47.2*1.3*1.5
LL0113SAC-100W		100W	D1500*32*38	D59.1*1.3*1.5
LL0125SAC-32W		32W	D600*35*32	D23.6*1.4*1.3
LL0125SAC-40W		40W	D900*35*32	D35.4*1.4*1.3
LL0125SAC-70W		70W	D1200*35*32	D47.2*1.4*1.3
LL0125SAC-80W		80W	D1500*35*32	D59.1*1.4*1.3
LL0126SAC-32W		32W	D600*35*32	D23.6*1.4*1.3
LL0126SAC-40W		40W	D900*35*32	D35.4*1.4*1.3
LL0126SAC-70W		70W	D1200*35*32	D47.2*1.4*1.3
LL0126SAC-80W		80W	D1500*35*32	D59.1*1.4*1.3











www.newshinelighting.com


NEW SHINE

III.Frame, Linear&Y Acoustic Lighting


1. Seamless connection to join different lengths. Easily blend into different architectural design.
2. Suspended, surface mounted, recessed and wall mounted are available.

Model No.	Picture	Power	Size (mm)	Size (inch)
LL0187SAC-25W		25W	480*416*75 (ID480)	18.9*16.4*3.0
LL0187SAC-40W		40W	600*520*75 (ID600)	23.6*20.5*3.0
LL0187SAC-90W		90W	900*780*75 (ID900)	35.4*30.7*3.0
LL0187SAC-180W		180W	1200*1040*75 (ID1200)	47.2*40.9*3.0
LL0188SAC-25W		25W	416*360*75 (OD480)	16.4*14.2*3.0
LL0188SAC-40W		40W	520*450*75 (OD600)	20.5*17.7*3.0
LL0188SAC-90W		90W	780*675*75 (OD900)	30.7*26.6*3.0
LL0188SAC-180W		180W	1039*900*75 (OD1200)	40.9*35.4*3.0
LL0116SAC-40W		15W	600*600*75	23.6*23.6*3.0
LL0116SAC-80W		40W	600*1200*75	23.6*47.2*3.0
LL0116SAC-160W		80W	1200*1200*75	47.2*47.2*3.0
LL0116SAC-320W		160W	1200*2400*75	47.2*94.5*3.0

Model No.	Picture	Power	Size (mm)	Size (inch)
LL0189H1S-1200		40W	W53*H188*L1200	2.1*7.4*47.2
LL0189H2S-1200		40W	W53*H288*L1200	2.1*11.4*47.2
LL0189H3S-1200		40W	W53*H388*L1200	2.1*15,.3*47.2
LL0189H1UDS-1200 (up 14w, down 36w)		50W	W53*H188*L1200	2.1*7.4*47.2
LL0189H2UDS-1200 (up 14w, down 36w)		50W	W53*H288*L1200	2.1*11.4*47.2
LL0189H3UDS-1200 (up 14w, down 36w)		50W	W53*H388*L1200	2.1*15,.3*47.2
LL0190SAC-40W		40W	563*501*188 (L300)	22.2*19.7*7.4
LL0190SAC-80W		80W	1081*963*188 (L600)	42.6*37.9*7.4
LL0190SAC-120W		120W	1600*1426*188 (L900)	63.0*56.1*7.4
LL0190UDSAC-50W (up 15w, down 35w)		50W	563*501*188 (L300)	22.2*19.7*7.4
LL0190UDSAC-100W (up 30w, down 70w)		100W	1081*963*188 (L600)	42.6*37.9*7.4
LL0190UDSAC-140W (up 40w, down 100w)		140W	1600*1426*188 (L900)	63.0*56.1*7.4










NEW SHINE

IV.Drum Acoustic Lighting

1. Covering round, rectangle and hexagonal shapes with multiple sizes and colors.
2. Good performance and visual comfort, meet your the special desgin needs.

Model No.	Picture	Power	Size (mm)	Size (inch)
LL0185S-25W-AC-300		25W	480*480*300	18.9*18.9*11.8
LL0185S-25W-AC-600			480*480*600	18.9*18.9*23.6
LL0185S-25W-AC-900			480*480*900	18.9*18.9*35.4
LL0185S-25W-AC-1200			480*480*1200	18.9*18.9*47.2
LL0185S-40W-AC-300		40W	600*600*300	23.6*23.6*11.8
LL0185S-40W-AC-600			600*600*600	23.6*23.623.6
LL0185S-40W-AC-900			600*600*900	23.6*23.6*35.4
LL0185S-40W-AC-1200			600*600*1200	23.6*23.6*47.2
LL0185S-90W-AC-300		90W	900*900*300	35.4*35.4*11.8
LL0185S-90W-AC-600			900*900*600	35.4*35.4*23.6
LL0185S-90W-AC-900			900*900*900	35.4*35.4*35.4
LL0185S-90W-AC-1200			900*900*1200	35.4*35.4*47.2
LL0185S-180W-AC-300		180W	1200*1200*300	47.2*47.2*11.8
LL0185S-180W-AC-600			1200*1200*600	47.2*47.2*23.6
LL0185S-180W-AC-900			1200*1200*900	47.2*47.2*35.4
LL0185S-180W-AC-1200			1200*1200*1200	47.2*47.2*47.2
LL0186S-25W-AC-300		25W	480*416*H300	18.9*16.4*H12"
LL0186S-25W-AC-600			480*416*H600	18.9*16.4*H24"
LL0186S-25W-AC-900			480*416*H900	18.9*16.4*H36"
LL0186S-25W-AC-1200			480*416*H1200	18.9*16.4*H48"
LL0186S-40W-AC-300		40W	600*520*H300	23.6*20.5*H12"
LL0186S-40W-AC-600			600*520*H600	23.6*20.5*H24"
LL0186S-40W-AC-900			600*520*H900	23.6*20.5*H36"
LL0186S-40W-AC-1200			600*520*H1200	23.6*20.5*H48"

Model No.	Picture	Power	Size (mm)	Size (inch)
LL0112S-25W-AC-300		25W	D480*300	D18.9*11.8
LL0112S-25W-AC-600			D480*600	D18.9*23.6
LL0112S-25W-AC-900			D480*900	D18.9*35.4
LL0112S-25W-AC-1200			D480*1200	D18.9*47.2
LL0112S-40W-AC-300		40W	D600*300	D23.6*11.8
LL0112S-40W-AC-600			D600*600	D23.6*23.6
LL0112S-40W-AC-900			D600*900	D23.6*35.4
LL0112S-40W-AC-1200			D600*1200	D23.6*47.2
LL0112S-90W-AC-300		90W	D900*300	D35.4*11.8
LL0112S-90W-AC-600			D900*600	D35.4*23.6
LL0112S-90W-AC-900			D900*900	D35.4*35.4
LL0112S-90W-AC-1200			D900*1200	D35.4*47.2
LL0112S-180W-AC-300		180W	D1200*300	D47.2*11.8
LL0112S-180W-AC-600			D1200*600	47.2*23.6
LL0112S-180W-AC-900			D1200*900	47.2*35.4
LL0112S-180W-AC-1200			D1200*1200	D47.2*47.2
LL0186S-90W-AC-300		90W	900*780*H300	35.4*30.7*H12"
LL0186S-90W-AC-600			900*780*H600	35.4*30.7*H24"
LL0186S-90W-AC-900			900*780*H900	35.4*30.7*H36"
LL0186S-90W-AC-1200			900*780*H1200	35.4*30.7*H48"
LL0186S-180W-AC-300		180W	1200*1040*H300	47.2*40.9*H12"
LL0186S-180W-AC-600			1200*1040*H600	47.2*40.9*H24"
LL0186S-180W-AC-900			1200*1040*H900	47.2*40.9*H36"
LL0186S-180W-AC-1200			1200*1040*H1200	47.2*40.9*H48"








www.newshinelighting.com



NEW SHINE
坚持
奋斗
梦想
激情
www.newshinelighting.com

NEW SHINE

V.Panel Acoustic Lighting

1. A wide range with multiple shapes, sizes, different emitting and installations.
2. Bright and even light distribution, nice craftsmanship, novel design suitable for different application.

Goods Description	Model No.	Picture	Power	Size (mm)	Size (inch)
LED MOON LIGHT	LL0112SACNL-480		/	D480*80	D18.9*3.1
	LL0112SACNL-600			D600*80	D23.6*3.1
	LL0112SACNL-900			D900*80	D35.4*3.1
	LL0112SACNL-1200			D1200*80	D47.2*3.1
LED MOON LIGHT	LL0112MACNL-480		/	D480*95	D18.9*3.7
	LL0112MACNL-600			D600*95	D23.6*3.7
	LL0112MACNL-900			D900*95	D35.4*3.7
	LL0112MACNL-1200			D1200*95	D47.2*3.7
RAINBOW（INDIRECT LIGHT AND ACOUSTIC DIRECT）	LL0118SAC-20W		20W	D600*140	D23.6*5.5
	LL0118SAC--40W		40W	D900*140	D35.4*5.5
	LL0118SAC-40W		40W	D1200*140	D47.2*5.5
RAINBOW（INDIRECT LIGHT AND ACOUSTIC DIRECT）	LL0118MAC-20W		20W	D600*175	D23.6*6.9
	LL0118MAC-40W		40W	D900*175	D35.4*6.9
	LL0118MAC-40W		40W	D1200*175	D47.2*6.9
LED ACOUSTIC HEXAGON PANEL (surface mounted)	LL0186MACNL-480		N/A	480*416*95 (ID480)	18.9*16.4*3.7
	LL0186MACNL-600			600*520*95 (ID600)	23.6*20.5*3.7
	LL0186MACNL-900			900*780*95 (ID900)	35.4*30.7*3.7
	LL0186MACNL-1200			1200*1040*95 (ID1200)	47.2*40.9*3.7

Goods Description	Model No.	Picture	Power	Size (mm)	Size (inch)
LED ACOUSTIC HEXAGON PANEL (SUSPENDED)	LL0186SACNL-480		N/A	480*416*80 (ID480)	18.9*16.4*3.1
	LL0186SACNL-600			600*520*80 (ID600)	23.6*20.5*3.1
	LL0186SACNL-900			900*780*80 (ID900)	35.4*30.7*3.1
	LL0186SACNL-1200			1200*1040*80 (ID1200)	47.2*40.9*3.1
SKY ROUND ACOUSTIC	LL0201SAC-15W		15W	D360*88	D14.2*3.5
	LL0201SAC-25W		25W	D450*88	D17.7*3.5
	LL0201SAC-36W		36W	D600*88	D23.6*3.5
	LL0201SAC-50W		50W	D800*88	D31.5*3.5
SKY SQUARE ACOUSTIC	LL0202SAC-15W		15W	360*360*88	14.2*14.2*3.5
	LL0202SAC-25W		25W	450*450*88	17.7*17.7*3.5
	LL0202SAC-36W		36W	600*600*88	23.6*23.6*3.5
	LL0202SAC-50W		50W	800*800*88	31.5*31.5*3.5
SKY ROUND ACOUSTIC	LL0201MAC-15W		15W	D360*116	D14.2*4.6
	LL0201MAC-25W		25W	D450*116	D17.7*4.6
	LL0201MAC-36W		36W	D600*116	D23.6*4.6
	LL0201MAC-50W		50W	D800*116	D31.5*4.6
SKY SQUARE ACOUSTIC	LL0202MAC-15W		15W	360*360*116	14.2*14.2*4.6
	LL0202MAC-25W		25W	450*450*116	17.7*17.7*4.6
	LL0202MAC-36W		36W	600*600*116	23.6*23.6*4.6
	LL0202MAC-50W		50W	800*800*116	31.5*31.5*4.6


NEW SHINE



Panel Acoustic Lighting









www.newshinelighting.com






NEW SHINE



Application

Widely used in offices, restaurants, hotels, schools, institutions, residences, reception areas and other open commercial spaces.



New Shine Lighting (Guangzhou) Co., Ltd
T: 86-20-22863929
E: info@newshinelighting.com
A: Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
W: www.newshinelighting.com