

NEW SHINE
www.newshinelighting.com

NEW SHINE

PANEL SERIES

Basic information / Advantage / Contact







www.newshinelighting.com

NEW SHINE

PANEL SERIES




Special Features:

1. Excellent lighting distribution with nice craftsamanship;

2. Hexagon, square, round shape for options;

3. Acoustic version, suspended and surface mounted are available.



NEW SHINE

PANEL SERIES

Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0185M-25W		Surface Mounted	Alu+PC	480*480*95	18.9*18.9*3.7
LL0185M-40W				600*600*95	23.6*23.6*3.7
LL0185M-90W				900*900*95	35.4*35.4*3.7
LL0185M-180W				1200*1200*95	47.2*47.2*3.7
LL0185S-25W		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	Alu+PC	480*480*80	18.9*18.9*3.1
LL0185S-40W				600*600*80	23.6*23.6*3.1
LL0185S-90W				900*900*80	35.4*35.4*3.1
LL0185S-180W				1200*1200*80	47.2*47.2*3.1
LL0185UDM-50W (up 15w, down 35w)		Surface Mounted	Alu+PC	480*480*95	18.9*18.9*3.7
LL0185UDM-80W (up 24w, down 56w)				600*600*95	23.6*23.6*3.7
LL0185UDM-120W (up 36w, down 84w)				900*900*95	35.4*35.4*3.7
LL0185UDM-220W (up 66w, down 154w)				1200*1200*95	47.2*47.2*3.7
LL0185UDS-50W (up 15w, down 35w)		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	Alu+PC	480*480*80	18.9*18.9*3.1
LL0185UDS-80W (up 24w, down 56w)				600*600*80	23.6*23.6*3.1
LL0185UDS-120W (up 36w, down 84w)				900*900*80	35.4*35.4*3.1
LL0185UDS-220W (up 66w, down 154w)				1200*1200*80	47.2*47.2*3.1



SQUARE PANEL LIGHT

NEW SHINE



www.newshinelighting.com





NEW SHINE

PANEL SERIES



Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0186M-25W		Surface Mounted	Alu+PC	480*416*95 (ID480)	18.9*16.4*3.7
LL0186M-40W				600*520*95 (ID600)	23.6*20.5*3.7
LL0186M-90W				900*780*95 (ID900)	35.4*30.7*3.7
LL0186M-180W				1200*1040*95 (ID1200)	47.2*40.9*3.7
LL0186MACNL-480		Surface Mounted	Alu+ polyester fiber	480*416*95 (ID480)	18.9*16.4*3.7
LL0186MACNL-600				600*520*95 (ID600)	23.6*20.5*3.7
LL0186MACNL-900				900*780*95 (ID900)	35.4*30.7*3.7
LL0186MACNL-1200				1200*1040*95 (ID1200)	47.2*40.9*3.7
LL0186S-25W		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	Alu+PC	480*416*80 (ID480)	18.9*16.4*3.1
LL0186S-40W				600*520*80 (ID600)	23.6*20.5*3.1
LL0186S-90W				900*780*80 (ID900)	35.4*30.7*3.1
LL0186S-180W				1200*1040*80 (ID1200)	47.2*40.9*3.1


Model No.	Picture	Installation	Material	Size (mm)	Size (inch)
LL0186SACNL-480		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	Alu+ polyester fiber	480*416*80 (ID480)	18.9*16.4*3.1
LL0186SACNL-600				600*520*80 (ID600)	23.6*20.5*3.1
LL0186SACNL-900				900*780*80 (ID900)	35.4*30.7*3.1
LL0186SACNL-1200				1200*1040*80 (ID1200)	47.2*40.9*3.1
LL0186UDM-50W (up 15w, down 35w)		Surface Mounted	Alu+PC	480*416*95 (ID480)	18.9*16.4*3.7
LL0186UDM-80W (up 24w, down 56w)				600*520*95 (ID600)	23.6*20.5*3.7
LL0186UDM-120W (up 36w, down 84w)				900*780*95 (ID900)	35.4*30.7*3.7
LL0186UDM-220W (up 66w, down 154w)				1200*1040*95 (ID1200)	47.2*40.9*3.7
LL0186UDS-50W (up 15w, down 35w)		Central canopy suspended with 5ft (1.5m) aircraft cables&power cables	Alu+PC	480*416*80 (ID480)	18.9*16.4*3.1
LL0186UDS-80W (up 24w, down 56w)				600*520*80 (ID600)	23.6*20.5*3.1
LL0186UDS-120W (up 36w, down 84w)				900*780*80 (ID900)	35.4*30.7*3.1
LL0186UDS-220W (up 66w, down 154w)				1200*1040*80 (ID1200)	47.2*40.9*3.1

NEW SHINE

HEXAGON PANEL LIGHT







www.newshinelighting.com

NEW SHINE



Application

Widely used in office, hotel, shopping mall, school, hospital, commercial interiors and other morden buildings.



New Shine Lighting (Guangzhou) Co., Ltd
T: 86-20-22863929
E: info@newshinelighting.com
A: Part 2, 2/F, Plant 1,195 Junyi Road, Junan town, Shunde district, Foshan, Guangdong, China 528329
W: www.newshinelighting.com